

T Digital Signage



Grace Frame, Concise And Artistic Design

- Ultra thin frame design, perfect presentation
- Aluminum alloy frame, brief but not simple
- Big size LED display, fresh and natural image quality





www.isemc.com

T Function

Ultra thin body, elegant and honourable

Metal texture of aluminum alloy design, perfect appearance, exquisite and stable.

HD FHD display, extraordinary quality

1920×1080 high-definition resolution, high brightness, high dynamic contrast, presenting shocking visual effect.

Support mainstream video formats Ρ.

Support AVI, MPBG4, WMV, FLV and other mainstream video formats.

Intelligent OS

Intelligent play

Centralized management, authorization management, safety management (file encryption, examination and approval procedure), monitoring management (online monitoring, log query and statistic analysis), system data access, and service integration.



Multi-area display, free selection

Support the play of media contents such as video, image and texts in different areas, freely split screen for display, and display ads more accurately in diversified manners.

Receive media contents via network, play rich contents such as video, audio, image and text; store locally and support different play modes including cycleplay, intercut, timing play, and background play.

	T Parameters
Specification	55TN
Display parameters	
Panel size	55"
LCD type	LED
Bare dimension(mm)	700×540×1904
Packing dimension(mm)	962×672×2229
Power consumption	≤180W
Operating voltage	100V-240VAC,50/60Hz
Optimum resolution	1920×1080@60Hz
Viewing angel	178°, 178°
Brightness	500cd/m ²
Contrast ratio	1400:1
Response time	12ms
Color	1.07B
Sound configuration	10W+10W
Program	Standard configuration of Android/PC (optional)
Touch	Standard configuration without touch
External interface	
Lan interface	×1
USB	×2

Manufacturing strength | Quality control | After sales service



Module production line

Commercial company production line



Commercial display product assembly line



Professional display product assembly line

iSEMC commercial advantage



Screen resource LGD PD general agent. Low-cost self-produced screen.



Assembly professional production. Meet differentiated needs.



Technical services Complete range of products. Meet differentiated needs.



Cooperation mode

Focus on OEM, low marketing costs. Flexible and diverse.



Beijing Lema Technology Co.,Ltd.

Tel:+86 10 61706912 | Fax:+86 10 61706912 Email:info@isemc.com | Website:www.isemc.com